



Kishami Academy LLC
Teaching you into a better future

Vaccination Information

At Kishami Academy LLC we are vaccine-cautious. Our students are vaccine-injured, vaccine-compromised, immune-compromised, and sensitive to a variety of ingredients.

This document is purely to forward knowledge. First we list the types of vaccinations and precautions we must take at our school to keep our students safe. Then we have blended in the CDC document of ingredients for a variety of vaccinations which the CDC obtained from the companies providing the vaccinations.

This document is knowledge, not a statement.

A. Live-Virus Vaccinations

- 1) Live-virus vaccinations have long-lasting immunity but increased health worries due to possible shedding while the immune system works to obtain immunity.
 - 2) These are dangerous to immune-compromised individuals for varying amounts of time. We request that you do not attend school functions during this time period to protect our students.
- *MMR rubella can be contagious for 28 days*
 - *Flu the nasal spray version can be contagious for 3 days*
 - *Chicken pox/Varicella can be contagious for up to 21 days*

 - *These live-virus vaccinations can be contagious for up to 14 days*
 - Rotavirus
 - Smallpox
 - Yellow Fever
 - Shingles (Herpes Simplex Zoster)
 - Adenovirus
 - Oral version of Typhoid BCG (TB)
 - Oral version of Polio

B. Dead-Virus Vaccinations

- 1) These need to be redone frequently because immunity is very short-term
- Flu shot
 - Hepatitis A
 - Polio shot
 - Rabies shots



Kishami Academy LLC
Teaching you into a better future

Vaccine Information

C. Subunit, Recombinant, Polysaccharide, and Conjugate Vaccinations

- 1) These use pieces of the germ to build a strong immune reaction, but not the entire germ. These need booster shots to ensure immunity.
 - Hepatitis B
 - HiB
 - HPV
 - Whooping Cough (part of the DTap)
 - Pneumococcal
 - Meningococcal
 - Shingles (Shingrix, recombinant version--not live-virus version)

D. Toxoid Vaccinations

- 1) These vaccinations target the toxins made by the germs and do not prevent the infection of the germ.
 - Diphtheria
 - Tetanus

E. Messenger RNA Vaccinations

- 1) These vaccinations are genetically engineered mRNA instructions to tell your body how to make the S protein to fight the COVID-19 virus.
 - * Pfizer-BioNTech (Comirnaty) & Moderna (Spikevax)

F. Vector Vaccination

- 1) This takes genetic material from a virus and uses another virus to deliver it into your body.
 - * Janssen/Johnson & Johnson & AstraZeneca

NOTE: If you get this vaccine you will need to stay out of school events for 14 days.

G. Protein Subunit Vaccination

- 1) Uses only the part of the virus best capable of stimulating your immune system. For the COVID vaccine, the harmless proteins are used.
 - * Novavax



Kishami Academy LLC
Teaching you into a better future

Vaccine Information

References

Information on Vaccine, Vaccine Shedding, and Contagious possibilities:

We understand the possibility is minimal, but we have an immune-compromised student whose doctor determined they contracted several diseases via vaccinated contacts.

<https://www.verywellhealth.com/live-vaccines-and-vaccine-shedding-2633700>

<https://www.mayoclinic.org/diseases-conditions/coronavirus/in-depth/different-types-of-covid-19-vaccines/art-20506465>

<https://ndsforvaccines.com/shedding-doubt-are-live-vaccines-contagious/>

CDC Ingredient Table:

<https://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/b/excipient-table-2.pdf>

Vaccine Excipient Summary

Excipients Included in U.S. Vaccines, by Vaccine

In addition to weakened or killed disease antigens (viruses or bacteria), vaccines contain very small amounts of other ingredients – excipients.

Some excipients are added to a vaccine for a specific purpose. These include:

Preservatives, to prevent contamination. For example, thimerosal.

Adjuvants, to help stimulate a stronger immune response. For example, aluminum salts.

Stabilizers, to keep the vaccine potent during transportation and storage. For example, sugars or gelatin.

Others are residual trace amounts of materials that were used during the manufacturing process and removed. These can include:

Cell culture materials, used to grow the vaccine antigens. For example, egg protein, various culture media.

Inactivating ingredients, used to kill viruses or inactivate toxins. For example, formaldehyde.

Antibiotics, used to prevent contamination by bacteria. For example, neomycin.

The following table lists substances, other than active ingredients (i.e., antigens), shown in the manufacturers' package insert (PI) as being contained in the final formulation of each vaccine. **Note: Substances used in the manufacture of a vaccine but not listed as contained in the final product (e.g., culture media) can be found in each PI, but are not shown on this table.** Each PI, which can be found on the FDA's website (see below) contains a description of that vaccine's manufacturing process, including the amount and purpose of each substance. In most PIs, this information is found in Section 11: "Description."

All information was extracted from manufacturers' package inserts.

The date shown in the Date column of the table is the edition date of the PI is use in February 2020.

If a date contains an asterisk (*), the PI was not dated and this is the date the PI was reviewed for this table.

If in doubt about whether a PI has been updated since this table was prepared, check the FDA's website at:

<http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/ucm093833.htm>

All influenza vaccine in this table are 2019-20 northern hemisphere formulation.

Vaccine	Date	Contains
Adenovirus	10/2019	monosodium glutamate, sucrose, D-mannose, D-fructose, dextrose, human serum albumin, potassium phosphate, plasdone C, anhydrous lactose, microcrystalline cellulose, polacrilin potassium, magnesium stearate, cellulose acetate phthalate, alcohol, acetone, castor oil, FD&C Yellow #6 aluminum lake dye
Anthrax (Biothrax)	11/2015	aluminum hydroxide, sodium chloride, benzethonium chloride, formaldehyde
BCG (Tice)	2/2009	glycerin, asparagine, citric acid, potassium phosphate, magnesium sulfate, iron ammonium citrate, lactose
Cholera (Vaxchora)	6/2016	ascorbic acid, hydrolyzed casein, sodium chloride, sucrose, dried lactose, sodium bicarbonate, sodium carbonate
Dengue (Dengvaxia)	6/2019	sodium chloride, essential amino acids (including L-phenylalanine), non-essential amino acids, L-arginine hydrochloride, sucrose, D-trehalose dihydrate, D-sorbitol, trometamol, urea
DT (Sanofi)	6/2018	aluminum phosphate, isotonic sodium chloride, formaldehyde
DTaP (Daptacel)	12/2018	aluminum phosphate, formaldehyde, glutaraldehyde, 2-phenoxyethanol
DTaP (Infanrix)	12/2018	formaldehyde, aluminum hydroxide, sodium chloride, polysorbate 80 (Tween 80)
DTaP-IPV (Kinrix)	12/2018	Formaldehyde, aluminum hydroxide, sodium chloride, polysorbate 80 (Tween 80), neomycin sulfate, polymyxin B
DTaP-IPV (Quadracel)	1/2019	formaldehyde, aluminum phosphate, 2-phenoxyethanol, polysorbate 80, glutaraldehyde, neomycin, polymyxin B sulfate, bovine serum albumin
DTaP-HepB-IPV (Pediarix)	2/2020*	formaldehyde, aluminum hydroxide, aluminum phosphate, sodium chloride, polysorbate 80 (Tween 80), neomycin sulfate, polymyxin B, yeast protein
DTaP-IPV/Hib (Pentacel)	1/2019	aluminum phosphate, polysorbate 80, sucrose, formaldehyde, glutaraldehyde, bovine serum albumin, 2-phenoxyethanol, neomycin, polymyxin B sulfate
DTaP-IPV-Hib-HepB (Vaxelis)	12/2018	polysorbate 80, formaldehyde, glutaraldehyde, bovine serum albumin, neomycin, streptomycin sulfate, polymyxin B sulfate, ammonium thiocyanate, yeast protein, aluminum
Ebola Zaire (ERVEBO)	2/2020*	Tromethamine rice-derived recombinant human serum albumin, host cell DNA benzonase, rice protein
Hib (ActHIB)	5/2019	sodium chloride, formaldehyde, sucrose
Hib (Hiberix)	4/2018	formaldehyde, sodium chloride, lactose

Vaccine	Date	Contains
Hib (PedvaxHIB)	10/2018	amorphous aluminum hydroxyphosphate sulfate, sodium chloride
Hep A (Havrix)	2/2020*	MRC-5 cellular proteins, formalin, aluminum hydroxide, amino acid supplement, phosphate-buffered saline solution, polysorbate 20, neomycin sulfate, aminoglycoside antibiotic
Hep A (Vaqta)	12/2018	amorphous aluminum hydroxyphosphate sulfate, non-viral protein, DNA, bovine albumin, formaldehyde, neomycin, sodium borate, sodium chloride, other process chemical residuals
Hep B (Engerix-B)	2/2020*	aluminum hydroxide, yeast protein, sodium chloride, disodium phosphate dihydrate, sodium dihydrogen phosphate dihydrate
Hep B (Recombivax)	12/2018	formaldehyde, potassium aluminum sulfate, amorphous aluminum hydroxyphosphate sulfate, yeast protein
Hep B (Heplisav-B)	2017	yeast protein, yeast DNA, deoxycholate, phosphorothioate linked oligodeoxynucleotide, sodium phosphate, dibasic dodecahydrate, sodium chloride, monobasic dehydrate, polysorbate 80
Hep A/Hep B (Twinrix)	2/2020*	MRC-5 cellular proteins, formalin, aluminum phosphate, aluminum hydroxide, amino acids, sodium chloride, phosphate buffer, polysorbate 20, neomycin sulfate, yeast protein, water
Human Papillomavirus (HPV) (Gardasil 9)	10/2018	amorphous aluminum hydroxyphosphate sulfate, sodium chloride, L-histidine, polysorbate 80, sodium borate, yeast protein
Influenza (Afluria) Quadrivalent	12/2019	sodium chloride, monobasic sodium phosphate, dibasic sodium phosphate, monobasic potassium phosphate, potassium chloride, calcium chloride, sodium taurodeoxycholate, ovalbumin, sucrose, neomycin sulfate, polymyxin B, beta-propiolactone, hydrocortisone thimerosal (multi-dose vials)
Influenza (Fluad)	4/2019	squalene, polysorbate 80, sorbitan trioleate, sodium citrate dehydrate, citric acid monohydrate, neomycin, kanamycin, barium, hydrocortisone, egg proteins, cetyltrimethylammonium bromide (CTAB), formaldehyde
Influenza (Fluarix) Quadrivalent	©2019	octoxynol-10 (TRITON X-100), α -tocopheryl hydrogen succinate, polysorbate 80 (Tween 80), hydrocortisone, gentamicin sulfate, ovalbumin, formaldehyde, sodium deoxycholate, sodium phosphate-buffered isotonic sodium chloride
Influenza (Flublok) Quadrivalent	4/2019	sodium chloride, monobasic sodium phosphate, dibasic sodium phosphate, polysorbate 20 (Tween 20), baculovirus and <i>Spodoptera frugiperda</i> cell proteins, baculovirus and cellular DNA, Triton X-100
Influenza (Flucelvax) Quadrivalent	8/2019	Madin Darby Canine Kidney (MDCK) cell protein, phosphate buffered saline, protein other than HA, MDCK cell DNA, polysorbate 80, cetyltrimethylammonium bromide, and β -propiolactone, Thimerosal (multi-dose vials)
Influenza (Flulaval) Quadrivalent	2/2020*	ovalbumin, formaldehyde, sodium deoxycholate, α -tocopheryl hydrogen succinate, polysorbate 80, thimerosal (multi-dose vials), phosphate-buffered saline solution
Influenza (Fluzone) Quadrivalent	2019	formaldehyde, egg protein, octylphenol ethoxylate (Triton X-100), sodium phosphate-buffered isotonic sodium chloride solution, thimerosal (multi-dose vials)
Influenza (Fluzone) High Dose	1/2019	egg protein, octylphenol ethoxylate (Triton X-100), sodium phosphate-buffered isotonic sodium chloride solution, formaldehyde
Influenza (FluMist) Quadrivalent	8/2019	monosodium glutamate, hydrolyzed porcine gelatin, arginine, sucrose, dibasic potassium phosphate, monobasic potassium phosphate, ovalbumin, gentamicin sulfate, ethylenediaminetetraacetic acid (EDTA)
Japanese Encephalitis (Ixiaro)	9/2018	aluminum hydroxide, protamine sulfate, formaldehyde, bovine serum albumin, Vero cell DNA, sodium metabisulphite, Vero cell protein
Meningococcal (MenACWY-Menactra)	4/26/18	sodium phosphate-buffered isotonic sodium chloride solution, formaldehyde, diphtheria toxoid
Meningococcal (MenACWY-Menveo)	2/2020*	formaldehyde, CRM ₁₉₇ protein
Meningococcal (MenB – Bexsero)	2/2020*	aluminum hydroxide, sodium chloride, histidine, sucrose, kanamycin
Meningococcal (MenB – Trumenba)	2018	polysorbate 80, aluminum phosphate, histidine buffered saline

Vaccine	Date	Contains
MMR (MMR-II)	2/2020*	vitamins, amino acids, fetal bovine serum, sucrose, glutamate, recombinant human albumin, neomycin, sorbitol, hydrolyzed gelatin, sodium phosphate, sodium chloride, WI-38 human diploid lung fibroblasts
MMRV (ProQuad) (Frozen: Recombinant Albumin)	2/2020*	MRC-5 cells including DNA and protein, sucrose, hydrolyzed gelatin, sodium chloride, sorbitol, monosodium L-glutamate, sodium phosphate dibasic, recombinant human albumin, sodium bicarbonate, potassium phosphate monobasic, potassium chloride; potassium phosphate dibasic, neomycin, bovine calf serum
MMRV (ProQuad) (Frozen: Human Serum Albumin)	2/2020*	MRC-5 cells including DNA and protein, sucrose, hydrolyzed gelatin, sodium chloride, sorbitol, monosodium L-glutamate, sodium phosphate dibasic, human albumin, sodium bicarbonate, potassium phosphate monobasic, potassium chloride; potassium phosphate dibasic, neomycin, bovine calf serum
MMRV (ProQuad) (Refrigerator Stable)	10/2018	MRC-5 cells including DNA and protein, sucrose, hydrolyzed gelatin, urea, sodium chloride, sorbitol, monosodium L-glutamate, sodium phosphate, recombinant human albumin, sodium bicarbonate, potassium phosphate, potassium chloride, neomycin, bovine serum albumin
Pneumococcal (PCV13 – Prevnar 13)	8/2017	CRM ₁₉₇ carrier protein, polysorbate 80, succinate buffer, aluminum phosphate
Pneumococcal (PPSV-23 – Pneumovax)	2/2020*	isotonic saline solution, phenol
Polio (IPV – Ipol)	2/2020*	calf bovine serum albumin, 2-phenoxyethanol, formaldehyde, neomycin, streptomycin, polymyxin B, M-199 medium
Rabies (Imovax)	10/2019	human albumin, neomycin sulfate, phenol red, beta-propiolactone
Rabies (RabAvert)	©2018	chicken protein, polygeline (processed bovine gelatin), human serum albumin, potassium glutamate, sodium EDTA, ovalbumin, neomycin, chlortetracycline, amphotericin B
Rotavirus (RotaTeq)	2/2017	sucrose, sodium citrate, sodium phosphate monobasic monohydrate, sodium hydroxide, polysorbate 80, cell culture media, fetal bovine serum <i>[DNA from porcine circoviruses (PCV) 1 and 2 has been detected in RotaTeq. PCV-1 and PCV-2 are not known to cause disease in humans.]</i>
Rotavirus (Rotarix)	2/2020*	dextran, Dulbecco's Modified Eagle Medium (sodium chloride, potassium chloride, magnesium sulfate, ferric (III) nitrate, sodium phosphate, sodium pyruvate, D-glucose, concentrated vitamin solution, L-cystine, L-tyrosine, amino acids, L-glutamine, calcium chloride, sodium hydrogenocarbonate, and phenol red), sorbitol, sucrose, calcium carbonate, sterile water, xanthan <i>[Porcine circovirus type 1 (PCV-1) is present in Rotarix. PCV-1 is not known to cause disease in humans.]</i>
Smallpox (Vaccinia) (ACAM2000)	3/2018	HEPES, 2% human serum albumin, 0.5 - 0.7% sodium chloride USP, 5% Mannitol USP, neomycin, polymyxin B, 50% Glycerin USP, 0.25% phenol USP
Td (Tenivac)	11/2019	aluminum phosphate, formaldehyde, sodium chloride, water
Td (TDVAX)	9/2018	aluminum phosphate, formaldehyde, thimerosal
Tdap (Adacel)	1/2019	aluminum phosphate, formaldehyde, 2-phenoxyethanol, glutaraldehyde, water
Tdap (Boostrix)	2/2020*	formaldehyde, aluminum hydroxide, sodium chloride, polysorbate 80
Typhoid (Typhim Vi)	3/2014	formaldehyde, phenol, polydimethylsiloxane, disodium phosphate, monosodium phosphate, sodium chloride, sterile water
Typhoid (Vivotif Ty21a)	9/2013	sucrose, ascorbic acid, amino acids, lactose, magnesium stearate. gelatin
Varicella (Varivax) <i>Frozen</i>	2/2020*	MRC-5 human diploid cells, including DNA & protein, sucrose, hydrolyzed gelatin, sodium chloride, monosodium L-glutamate, sodium phosphate dibasic, sodium phosphate monobasic, potassium phosphate monobasic, potassium chloride, EDTA, neomycin, fetal bovine serum
Varicella (Varivax) <i>Refrigerator Stable</i>	10/2018	MRC-5 human diploid cells, including DNA & protein, sucrose, hydrolyzed gelatin, sodium chloride, monosodium L-glutamate, urea, sodium phosphate dibasic, potassium phosphate monobasic, potassium chloride, neomycin, bovine calf serum
Yellow Fever (YF-Vax)	2/2019	sorbitol, gelatin, sodium chloride
Zoster (Shingles) (Zostavax) <i>Frozen</i>	1/2019	MRC-5 human diploid cells, including DNA & protein, sucrose, hydrolyzed porcine gelatin, sodium chloride, monosodium L-glutamate, sodium phosphate dibasic, potassium phosphate monobasic, potassium chloride; neomycin, bovine calf serum

Vaccine	Date	Contains
Zoster (Shingles) (Zostavax) <i>Refrigerator Stable</i>	8/2018	MRC-5 human diploid cells, including DNA & protein, sucrose, hydrolyzed porcine gelatin, urea, sodium chloride, monosodium L-glutamate, sodium phosphate dibasic, potassium phosphate monobasic, potassium chloride, neomycin, bovine calf serum
Zoster (Shingles) (Shingrix)	2/2020*	sucrose, sodium chloride, dioleoyl phosphatidylcholine (DOPC), 3- <i>O</i> -desacetyl-4' monophosphoryl lipid A (MPL), QS-21 (a saponin purified from plant extract <i>Quillaja saponaria</i> Molina), potassium dihydrogen phosphate, cholesterol, sodium dihydrogen phosphate dihydrate, disodium phosphate anhydrous, dipotassium phosphate, polysorbate 80, host cell protein and DNA

A table listing vaccine excipients and media *by excipient* is published by the Institute for Vaccine Safety at Johns Hopkins University, and can be found at <http://www.vaccinesafety.edu/components-Excipients.htm>.

February 2020

Here is a breakdown of the three approved 2022 COVID vaccines and their ingredients:

Pfizer Vaccine: The full list of ingredients for the Pfizer vaccine is:
mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.
The Pfizer vaccine does not contain eggs, preservatives, or latex.

Moderna Vaccine: The full list of ingredients for the Moderna vaccine is:
Messenger ribonucleic acid (mRNA), lipids (SM-102, polyethylene glycol [PEG] 2000 dimyristoyl glycerol [DMG], cholesterol, and 1,2-distearoyl-sn-glycero-3-phosphocholine [DSPC]), tromethamine, tromethamine hydrochloride, acetic acid, sodium acetate trihydrate, and sucrose.
The Moderna vaccine does not contain eggs, preservatives, or latex.

Johnson & Johnson Vaccine: The full list of ingredients for the Johnson & Johnson vaccine is:
Recombinant, replication-incompetent adenovirus type 26 expressing the SARS-CoV-2 spike protein, citric acid monohydrate, trisodium citrate dihydrate, ethanol, 2 hydroxypropyl- β -cyclodextrin (HBCD), polysorbate-80, sodium chloride.
The Johnson & Johnson vaccine does not contain eggs, preservatives, or latex.

<https://portal.ct.gov/Coronavirus/Covid-19-Knowledge-Base/Vaccine-Ingredients>